



MN 1619 GL

LUND

SPARTAN

ELITE



Johnson
50

LUND



1600

AMPEREN
DLS

ELITE



LUND

1600

Johnson
50

ELITE



LUND

23 MN 1619 GL

MINN KOTA
POWERED BY MERCEDES-BENZ

SPARE







Johnson
50


1600

aven





TOP GUN
BOAT COVERS
952-445-0549
topgunboatcovers.com





HORN SIGNAL	PROBLEM
See Horn Signal Chart on p. 2 of Owner's Manual	Check for horn fuse
Check horn relay and wiring	Check horn switch
Check horn fuse (15 amp)	Check horn
Check horn relay and wiring	Check for horn fuse
Check horn relay and wiring	Check for horn fuse

LIGHT LIGHTER

LUND

NAV AERATOR AUTO. BILGE INT. LIGHT ACC.

ANC MAN

JVC

EXTRA BASS

FM/AM

STEREO

DISC

REPEAT

MEMORY

PRESET

SEARCH

SKIP

STOP

POWER

OFF

ON

LUND

- RESISTING STEERING
- STEERING SYSTEM (NOV)
- FLIGHT SYSTEM (AERATOR)
- BATTERY FULL CHARGE (2)
- ENGINE (IN NEARBY)
- CRACKS PLATE (AIR YOU ON)
- WEATHER CONDITIONS (SAY)
- ELECTRICAL EQUIPMENT (LIGN)
- EMERGENCY GEAR (FIRE EXTING)
- Line spooling device (DO NOT)

Serial: SMT0008238 Date: 1825
J34208 18250008238A

Cabela's

Pro Series

Distributed On Demand™ Technology

8 Amp

Two Bank Marine Battery Charger

Energy Saving Technology

Waterproof to IP67 | Shock Resistant | Ignition & Polarity Protected

ProMar

Performance Charging Inside

Charge Mode
analyze (flashing)
charging (solid)
conditioning
auto-maintain
storage
recondition

Charge Monitor
100%
0%
System Check

Power
Battery Trouble Status
 bank 1
 bank 2

See help section in manual for assistance
When illuminated, check one of the following:
- Reverse polarity
- Poor connections
- Battery too low to charge

Engineered by ProMariner™

READ ALL MANUALS AND WARNINGS
WARNING: AVOID SERIOUS INJURY OR DEATH FROM FIRE, EXPLOSION OR ELECTRICAL SHOCK
This device must be connected to a Ground Fault Circuit Interrupter (GFCI) protected AC outlet.
When using an extension cord, connect to the GFCI protected AC outlet.
Make connection in accordance with the instructions.
Make connection in accordance with the instructions.




Serial: SMT0006238 Date: 1825
J34208 1825006238A

Cabela's

Pro Series
Distributed On Demand™ Technology

8 Amp Marine Battery Charger

Charge Mode
analyze (flashing)
charging (solid)
conditioning
auto-maintain
storage
recondition



Power
Battery
Trouble Status
bank 1
bank 2

Use help button to consult
for assistance
when Bluetooth icon is lit
of the battery
recharge priority.
This means the
battery is not to charge