



N4729Z

















N4729Z









N4729Z



TAKE OFF - CHECK LIST
 FUEL GAGES - CHECKED
 FUEL VALVE - LEFT TANK
 CARB HEAT - OFF
 MIXTURE - RICH
 ENGINE GAGES - CHECKED

Vy-78, Vx-80
 Va20°-59, Va40°-65, Va60°-80 MPH



MIKE LIGHTS ON PARK BRAKE LANDING LIGHTS BOTH OFF TAXI PULL HOT

CIRCUIT UNDER PANEL

OFF R

P
R
E
P
R

MPLS APP/DEP CON 121.2

EMERGENCY 121.5 243.0

50 ON VOL

Electronics Intercom SPA-400 TSO

KV 97A TSO

USE

STBY

CHAN

PULL TEST

CHAN

OFF

SBY

ON

ALT

OFF

TST

IDENT

K176A

BENDIX/KING

RIGHT TANK LEVEL FLIGHT ONLY

ALL MARKINGS AND REFER TO THE AIRP

PULL HOT

OFF K L BOTH START

BRAKE PULL ON

DRAIN ALL FUEL SLIPS BEFORE FIRST FLIGHT





RIGHT TANK
LEVEL FLIGHT ONLY

CABIN HEAT
PULL HOT

CABIN VENT
PULL ON

ALL MARKINGS AND PLACARDS ON THIS AIRPLANE APPLY TO ITS OPERATION AS A NORMAL CATEGORY AIRPLANE. FOR UTILITY CATEGORY OPERATIONS, REFER TO THE AIRPLANE FLIGHT MANUAL. NO ACROBATIC MANEUVERS (INCLUDING SPINS) ARE APPROVED FOR NORMAL CATEGORY OPERATIONS.

ENGINE
KOHLER CO.
KOSWILL, WIS.
PRIMER

5 BEFORE FIRST







N4729Z

EMERGENCY 121.5 MHz

Instrument panel section on the left side of the cockpit, featuring several analog gauges and a small digital display.

Central instrument panel section containing a digital display and several control knobs and switches.

Top row of instrument gauges, including a tachometer, oil pressure gauge, and an ammeter.

Middle row of instrument gauges, including a fuel gauge and a vertical fuel quantity indicator.

Right side instrument gauges, including fuel quantity gauges for the left and right tanks.

PIPER

PIPER

Fuel selector knob with positions for OFF, FUEL, and FUEL.



ALL WARNINGS AND PROCEDURES ON THIS AIRPLANE APPLY TO ITS OPERATION AS A NORMAL CATEGORY AIRPLANE FOR UTILITY CATEGORY OPERATIONS. REFER TO THE AIRPLANE FLIGHT MANUAL FOR SUPPLEMENTARY WARNINGS INCLUDING SPECIAL AIR OPERATIONS FOR NORMAL CATEGORY OPERATIONS.

FUEL QUANTITY

LEFT TANK

RIGHT TANK
LEVEL FLIGHT ONLY

HEAT
HOT

CABIN VENT
PULL ON



N4729Z

EMERGENCY BELLS BELLS APPROX CON BELLS

NO ON VOL

RPM
57922

OIL PRESSURE
OIL TEMP

FUEL QUANTITY

AMPERES

RIGHT TANK LEVEL FLIGHT ONLY

LEFT TANK

RIGHT TANK FLIGHT ONLY

FUEL

FUEL

ALL WARNINGS AND MALINDERS ON THIS AIRPLANE APPLY TO ITS OPERATION AS A NORMAL CATEGORY AIRPLANE FOR UTILITY CATEGORY OPERATIONS. REFER TO THE AIRPLANE FLIGHT MANUAL, AN AIRCRAFT MANUFACTURER'S (INCLUDING OPRM) AND APPROVED FOR NORMAL CATEGORY OPERATIONS.

CABIN HEAT PULL HOT

CABIN PULL

PIPER

PIPER

RIGHT TANK LEVEL FLIGHT ONLY
FUEL
FUEL