



N5216E

Mooney



COCKTAILS

N5216E



Mooney 201

N5216F



DO NOT PUSH

COCKTAIL







TURN LIMITS

WARNING
DO NOT EXCEED
TOW LIMITS







N5216E



Mooney 2018

N5216E



N5216L







Mooney 201

N52165



DO NOT PUSH

DO NOT PUSH





Mooney M20C

N5216E



N216E



TANIS
PREHEAT SYSTEM
115 VOLT





McCAULEY
Propellers
McCawley Aircraft, Inc.
10000 McCawley Blvd.
Tampa, FL 33634
813-988-1111

McCAULEY
Propellers
McCawley Aircraft, Inc.
10000 McCawley Blvd.
Tampa, FL 33634
813-988-1111

TANIS

Model: C-20000-100
Part No: 20000-100
Date: 08/20/10
Lot: 10000000000000000000



WARNING
DO NOT EXCEED
TOW LIMITS



TIRE PRESSURE 30LBS

GOODYEAR
SPECIAL T
PL1811
271 3058801
2812546
LOAD RATING 1750 LBS
G MAX RATING
100 PSI
140-0520



TIRE PRESSURE 30 PSI (2.11 Kg/cm²)

FLIGHT SPECIAL

GOOD YEAR



TIRE PRESSURE







PN 21517
PRD M11-198212 FLD 5000
CURE DATE: 2021



Goodrich P/N 37572 CURE DATE: 2023 APPLICABLE AIRCRAFT PER
PROP ANTI-FREEZE FEED SHOE FAA-PWA RPT 77-29-001




Model: G-90DHB-16E
Ser. No: ME248
Date: MAS OH 5/24





AVGAS ONLY
GRADE 100 GRADE 100LL
CAPACITY
32 US GALLONS



NO STEP

NO STEP



Mooney 200

N52167

130

NO STEP

CAUTION
EICAS ICE PROTECTION
WARNING: DO NOT OPEN DOOR OR
RE-ENTRY OF DOOR HANDLE
WHILE IN POSITION 2 OF
EICAS INDICATOR OR
FLIGHT OPERATING PROCEEDURE.

AVGAS ONLY
GRADE 100 GRADE 100LL
CAPACITY 32 US GALLONS



DO NOT PUSH

DO NOT PUSH

NEWSP

BATTERY BOOST INSIDE

Mooney 201

N5216E

BATTERY BOOST INSIDE

NO STEP

NO STEP



N5216E



COCKTAILS

N5216E



Mooney 201

N5216F



DO NOT PUSH

COCKTAIL



N5216E

Mooney 2000

FOAMULAR 150





TURN LIMITS

WARNING
DO NOT EXCEED
TOW LIMITS







N5216E



Mooney 2018

N5216E



N5216L



Mooney 201

N5216E

DO NOT PUSH





Mooney 201

N52165



DO NOT PUSH

DO NOT PUSH





N5216E



N216E



N5216E

130

TANIS

PREHEAT SYSTEM
115 VOLT





McCAULEY
Propellers
McCawley Aircraft, Inc.
1177 W. 87th St.
Tulsa, OK 74114
Phone: 918.438.8111
Fax: 918.438.8112

McCAULEY
Propellers
McCawley Aircraft, Inc.
1177 W. 87th St.
Tulsa, OK 74114
Phone: 918.438.8111
Fax: 918.438.8112



WARNING
DO NOT EXCEED
TOW LIMITS



TIRE PRESSURE 30LBS





TIRE PRESSURE 30 PSI (2.11 Kg/cm²)

FLIGHT SPECIAL

ODD YEAR



TIRE PRE







PN 2157
MFG DATE: 2021
CURE DATE: 2021
CURE TEMP: 170
CURE TIME: 240



Goodrich P/N 37572 CURE DATE: 2023 APPLICABLE AIRCRAFT PER
PROP ANTI-FREEZE FEED SIDE FAA-PMA RPT 77-29-001



Model: G-90DHB-16E
Ser. No: ME248
Date: MAS OH 5/24





AVGAS ONLY
GRADE 100 GRADE 100LL
CAPACITY
32 US GALLONS



NO STEP

NO STEP



Mooney 201

N52167

NO STEP


1.8.8. ICE PROTECTION
CAUTION
AVGAS ONLY
GRADE 100
CAPACITY 32 US GALLONS

AVGAS ONLY
GRADE 100
GRADE 100LL
CAPACITY 32 US GALLONS



DO NOT PUSH

DO NOT PUSH



BATTERY BOOST INSIDE

Mooney 201

N5216E

NO STEP

NO STEP

BATTERY BOOST INSIDE



TO GET THE MOST FROM YOUR AIRCRAFT, PLEASE READ THE INSTRUCTIONS FOR THE PROPER USE OF THE AIRCRAFT SEATBELT AND BRACE SEATBELT.

REGISTRATION NOT TRANSFERABLE

DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION
 NATIONALITY AND REGISTRATION CERTIFICATE OF AIRCRAFT REGISTRATION

N 5216E
 STANDARD AIRWORTHINESS CERTIFICATE

ROBBY ALTOREX CORP.

ISSUED TO: ROBBY ALTOREX CORP.
 ISSUED ON: 01-18-18
 EXPIRES: 01-18-20

THIS CERTIFICATE IS VALID FOR THE AIRCRAFT IDENTIFICATION NUMBER AND NATIONALITY MARKING SPECIFIED HEREON. IT IS VALID FOR THE AIRCRAFT IDENTIFICATION NUMBER AND NATIONALITY MARKING SPECIFIED HEREON. IT IS VALID FOR THE AIRCRAFT IDENTIFICATION NUMBER AND NATIONALITY MARKING SPECIFIED HEREON.



WARNING: DO NOT REMOVE OR TAMPER WITH THE LOCKING MECHANISM OR THE LATCHES. FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN PERSONAL INJURY OR PROPERTY DAMAGE.

WIZARDS®
TO... OVES...
Oxygen...
OIL







N5216E

Trident
WHITE



